

SPEC SHEET + MEASUREMENTS

**DIST
RICT®**

District® Distressed Cap. DT600

Product photo



Fabric: 100% cotton twill

Structure: Unstructured


Profile: Low

Closure: Self-fabric hideaway strap with metal D-ring slider *Due to a special finishing process, distress and color may vary.*

Sketches



front



back

SPEC SHEET + MEASUREMENTS



District[®] Distressed Cap. DT600

PRODUCT MEASUREMENTS

OSFA

Crown Height	6 1/2
--------------	-------

Width of Front Panel(s)	7 3/8
-------------------------	-------

Bill/Visor Length	2 7/8
-------------------	-------

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

SIZE CHARTS

OSFA

Hat Size	6 5/8- 8
----------	----------

Head Size	20 7/8- 25 1/8
-----------	----------------

SPEC SHEET + MEASUREMENTS












District[®] Distressed Cap. DT600

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.
Divide number by 3.14 for hat size.

COLORS

						
Black PMS BLACK C	Burnt Orange PMS 7586C	Dashing Red PMS 697C	Light Olive PMS 405C	Military Camo	Nickel PMS 7540C	Scotland Blue PMS 431C
						
Stone	True Pink PMS 204C					